

Colour Products 2018



Multifunction Products

CX421adn Up to 23 ppm 6 cm display Reversing ADF	CX522ade Up to 33 ppm 10.9 cm touch screen Reversing ADF	CX622ade Up to 38 ppm 10.9 cm touch screen Duplex ADF	CX625ade/adhe Up to 38 ppm 17.8 cm touch screen Duplex ADF OCR standard (adhe)	CX725de/dhe/dtfe Up to 47 ppm 17.8 cm touch screen Reversing ADF	CX820de/dtfe Up to 50 ppm 17.8 cm touch screen Duplex ADF Finishing
CX825de/dte/dtfe Up to 52 ppm 25 cm touch screen Duplex ADF Finishing	CX860de/dte/dtfe Up to 57 ppm 25 cm touch screen Duplex ADF Finishing	CX921de Up to 35 ppm 25 cm touch screen Duplex ADF Finishing options	CX922de Up to 45 ppm 25 cm touch screen Duplex ADF Finishing options	CX923dte/dxe Up to 55 ppm 25 cm touch screen Duplex ADF Finishing options	CX924dte/dxe Up to 65 ppm 25 cm touch screen Duplex ADF Finishing options

Printers

CS421dn Up to 23 ppm 6 cm display	CS521dn Up to 33 ppm 6 cm display	CS622de Up to 38 ppm 10.9 cm touch screen	CS720de/dte Up to 38 ppm 10.9 cm touch screen	CS725de/dte Up to 47 ppm 10.9 cm touch screen	CS820de/dte/dtfe Up to 57 ppm 10.9 cm touch screen Finishing
		<p> Colour</p> <p> Pre-installed solutions</p> <p> Touch screen display (Available on "e" models only)</p> <p>ppm = Pages per minute</p> <p>ADF=Automatic Document Feeder</p> <p>Please contact your local Lexmark sales representative for more information</p>			
CS921de Up to 35 ppm 10.9 cm touch screen Finishing options	CS923de Up to 55 ppm 10.9 cm touch screen Finishing options	<p>Product suffixes: a=analogue fax d=duplex n=network t=additional tray included x=high capacity feeder included e=e-task touch screen f=finisher h=hard disc v=vinyl media</p>			



MFPs

CX421, CX522				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
8500	78C2XK0			
5000		78C2XC0	78C2XM0	78C2XY0
2000	78C20K0			
1400		78C20C0	78C20M0	78C20Y0
8500	78C0X10			
5000		78C0X20	78C0X30	78C0X40
125000	78C0ZK0			
125000		78C0ZV0		
125000	78C0Z10			
125000		78C0Z50		
25000		78C0W00		
CX622, CX625				
10500	78C2UK0			
7000		78C2UC0	78C2UM0	78C2UY0
8500	78C2XK0			
5000		78C2XC0	78C2XM0	78C2XY0
2000	78C20K0			
1400		78C20C0	78C20M0	78C20Y0
10500	78C0U10			
7000		78C0U20	78C0U30	78C0U40
125000	78C0ZK0			
125000		78C0ZV0		
125000	78C0Z10			
125000		78C0Z50		
25000		78C0W00		
CX725				
25000	84C2HK0			
16000		84C2HC0	84C2HM0	84C2HY0
7000	74C2SK0	74C2SC0	74C2SM0	74C2SY0
3000	74C20K0	74C20C0	74C20M0	74C20Y0
25000	84C0H10			
16000		84C0H20	84C0H30	84C0H40
150000	74C0ZK0		74C0ZV0	
150000	74C0Z10		74C0Z50	
90000		74C0W00		
CX820				
33000	72K2XK0			
17000		82K2HC0	82K2HM0	82K2HY0
8000	72K20K0	72K20C0	72K20M0	72K20Y0
33000	72K0X10			
17000		82K0H20	82K0H30	82K0H40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		

MFPs (cont.)

CX825				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
33000	72K2XK0			
22000		82K2XC0	82K2XM0	82K2XY0
17000		82K2HC0	82K2HM0	82K2HY0
8000	72K20K0	72K20C0	72K20M0	72K20Y0
33000	72K0X10			
22000		82K0X20	82K0X30	82K0X40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		
CX860				
55000	82K2UK0	82K2UC0	82K2UM0	82K2UY0
33000	72K2XK0			
22000		82K2XC0	82K2XM0	82K2XY0
17000		82K2HC0	82K2HM0	82K2HY0
8000	72K20K0	72K20C0	72K20M0	72K20Y0
55000	82K0U10	82K0U20	82K0U30	82K0U40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		
CX921, CX922, CX923, CX924				
34000	86C0HK0	76C0HC0	76C0HM0	76C0HY0
18500	76C00K0			
11500		76C00C0	76C00M0	76C00Y0
100000	76C0PK0			
90000		76C0PV0		
50000		54G0W00		

Printers

CS421				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
8500	78C2XK0			
5000		78C2XC0	78C2XM0	78C2XY0
2000	78C20K0			
1400		78C20C0	78C20M0	78C20Y0
8500	78C0X10			
5000		78C0X20	78C0X30	78C0X40
125000	78C0ZK0			
125000		78C0ZV0		
125000	78C0Z10			
125000		78C0Z50		
25000		78C0W00		
CS521, CS622				
10500	78C2UK0			
7000		78C2UC0	78C2UM0	78C2UY0
8500	78C2XK0			
5000		78C2XC0	78C2XM0	78C2XY0
2000	78C20K0			
1400		78C20C0	78C20M0	78C20Y0
10500	78C0U10			
7000		78C0U20	78C0U30	78C0U40
125000	78C0ZK0			
125000		78C0ZV0		
125000	78C0Z10			
125000		78C0Z50		
25000		78C0W00		

Printers (cont.)

CS720				
Page Yield	P/N (K)	P/N (C)	P/N (M)	P/N (Y)
20000	74C2HK0			
7000	74C2SK0	74C2SC0	74C2SM0	74C2SY0
3000	74C20K0	74C20C0	74C20M0	74C20Y0
20000	74C0H10			
7000		74C0S20	74C0S30	74C0S40
150000	74C0ZK0		74C0ZV0	
150000	74C0Z10		74C0Z50	
90000		74C0W00		
CS725				
10500	74C2HK0			
7000		74C2HC0	74C2HM0	74C2HY0
8500	74C2SK0	74C2SC0	74C2SM0	74C2SY0
5000	74C20K0	74C20C0	74C20M0	74C20Y0
10500	74C0H10			
7000		74C0H20	74C0H30	74C0H40
125000	74C0ZK0		74C0ZV0	
125000	74C0Z10		74C0Z50	
25000		74C0W00		
CS820				
33000	72K2XK0			
22000		72K2XC0	72K2XM0	72K2XY0
8000	72K20K0	72K20C0	72K20M0	72K20Y0
33000	72K0X10			
22000		72K0X20	72K0X30	72K0X40
175000	72K0P00		72K0Q00	
300000	72K0DK0		72K0DV0	
300000	72K0D10		72K0D50	
115000		72K0W00		
CS921				
18500	76C00K0			
11500		76C00C0	76C00M0	76C00Y0
100000	76C0PK0			
90000		76C0PV0	76C0PV0	76C0PV0
50000		54G0W00		
CS923				
34000	76C0HK0	76C0HC0	76C0HM0	76C0HY0
18500	76C00K0			
11500		76C00C0	76C00M0	76C00Y0
100000	76C0PK0			
90000		76C0PV0	76C0PV0	76C0PV0
50000		54G0W00		

Return Programme Cartridge ¹
Regular Toner Cartridge ¹
Return Programme Imaging Kit ²
Regular Imaging Kit (Single or Multipack) ²
Photoconductor (Single or Multipack) ²
Return Developer ²
Regular Developer ²
Waste Toner Container ²
<input checked="" type="checkbox"/> Ribbon
MFP = Multifunction Product

¹ Average continuous black or continuous composite colour (CMY) declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19798. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information.
² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.

Monochrome Products 2018



Multifunction Products

MX321adn/adw Up to 36 ppm 6 cm display Simplex ADF	MX421ade Up to 40 ppm 10.9 cm touch screen Reversing ADF	MX521de/ade Up to 44 ppm 10.9 cm touch screen Reversing ADF	MX522adhe Up to 44 ppm 10.9 cm touch screen Duplex ADF	MX622ade/adhe Up to 47 ppm 17.8 cm touch screen Duplex ADF Finishing option	MX721ade/adhe Up to 61 ppm 17.8 cm touch screen Duplex ADF OCR standard (adhe)
			<p>Monochrome</p> <p>Solutions-enabled</p> <p>Solutions-enabled*</p> <p>Touch screen display (Available on "e" models only)</p> <p>ppm = Pages per minute</p> <p>ipm = Impressions per minute</p> <p>ADF = Automatic Document Feeder</p> <p>Product suffixes: a=analogue fax d=duplex n=network t=additional tray included x=high capacity feeder included e=e-task touch screen f=finisher h=hard disc v=vinyl media</p>		
MX722ade/adhe Up to 66 ppm 17.8 cm touch screen Duplex ADF OCR standard (adhe)	MX822ade/adxe, MX826ade/adxe Up to 52, 66 ppm 25 cm touch screen Duplex ADF OCR standard Finishing options	MX910de, MX911dte, MX912dxe Up to 45, 55, 65 ppm 25 cm touch screen Duplex ADF Finishing options			



Printers

MS321dn Up to 36 ppm 2-line display	MS421dn/dw Up to 40 ppm 2-line display	MS521dn Up to 44 ppm 6 cm display	MS621dn Up to 47 ppm 6 cm display	MS622de Up to 47 ppm 10.9 cm touch screen	MS725dvn Up to 52 ppm 6 cm display Special media
			Dot Matrix Printers		
MS821n/dn, MS823n/dn, MS825dn Up to 52, 61, 66 ppm 6 cm display Finishing options	MS822de, MS826de Up to 52, 66 ppm 10.9 cm touch screen Finishing options	MS911de Up to 55 ppm 10.9 cm touch screen Finishing options	2580+/n+/2581+/n+ 9 pins Up to 618 cps @ 12 cpi	2590+/n+/2591+/n+ 24 pins Up to 556 cps @ 12 cpi	

*Does not support optional Lexmark or third-party solutions.

Certain models may not be available in some countries.

MFPs

MX321		
	Page Yield	P/N (K)
15000		56F2H00
6000		56F2000
15000		56F0HA0
60000		56F0Z00
60000		56F0ZA0
MX421		
20000		56F2X00
15000		56F2H00
6000		56F2000
20000		56F0XA0
60000		56F0Z00
60000		56F0ZA0
MX521, MX522, MX622		
25000		56F2U00
20000		56F2X00
15000		56F2H00
6000		56F2000
25000		56F0UA0
60000		56F0Z00
60000		56F0ZA0
MX721		
35000		58D2X00
15000		58D2H00
7500		58D2000
35000		58D0XA0
150000		58D0Z00
150000		58D0ZA0
MX722, MX822, MX826		
55000		58D2U00
35000		58D2X00
15000		58D2H00
7500		58D2000
55000		58D0UA0
150000		58D0Z00
150000		58D0ZA0
MX910, MX911, MX912		
32500		64G0H00
125000		54G0P00
90000		54G0W00

Printers

MS321dn		
	Page Yield	P/N (K)
15000		56F2H00
6000		56F2000
15000		56F0HA0
60000		56F0Z00
60000		56F0ZA0
MS421		
20000		56F2X00
15000		56F2H00
6000		56F2000
20000		56F0XA0
60000		56F0Z00
60000		56F0ZA0
MS521, MS621, MS622		
25000		56F2U00
20000		56F2X00
15000		56F2H00
6000		56F2000
25000		56F0UA0
60000		56F0Z00
60000		56F0ZA0
MS821, MS822		
15000		58D2H00
7500		58D2000
15000		58D0HA0
150000		58D0Z00
150000		58D0ZA0
MS823, MS825, MS826, MS725		
55000		58D2U00
35000		58D2X00
15000		58D2H00
7500		58D2000
55000		58D0UA0
150000		58D0Z00
150000		58D0ZA0
MS911		
32500		54G0H00
125000		54G0P00
90000		54G0W00

Dot Matrix

2580+/n+ / 2581+/n+ / 2590+/n+ / 2591+/n+		
	Page Yield	P/N (K)
X	8 million characters @ draught 10 pitch	3070169
X	4 million characters @ draught 10 pitch	3070166

Return Programme Cartridge ¹
Regular Toner Cartridge ¹
Return Programme Imaging Kit ²
Regular Imaging Kit ²
Photoconductor ²
Waste Toner Container ²
X Ribbon

MFP = Multifunction Product

¹ Average continuous mono declared yield in one-sided (simplex) mode up to this number of pages in accordance with ISO/IEC 19752. Actual yield will vary considerably based upon many factors. See www.lexmark.com/yields for more information.

² Estimated yields are based on 3 average Letter/A4 size pages per print job at approximately 5% coverage. Actual yield may vary considerably based on other factors such as customer usage, device speed, paper size and feed orientation, toner coverage, tray source and average print job complexity.